

Administrative Procedure

CPCC-PRO-SH-40463

PRC-PRO-SH-40463

Ergonomics

Revision 1, Change 0

Published: 04/14/2022 Effective: 04/18/2022

Program: Occupational Safety and Industrial Hygiene Topic: Occupational Safety and Industrial Health

Technical Authority: Johnston, Jill Functional Manager: Smith, Courtney

Use Type: Administrative



Ergonomics PRC-PRO-SH-40463

Published Date: 04/14/2022 PRC-PRO-SH-40463 Effective Date: 04/18/2022

• 100 K Facility:

Excluded from USQ

Exclusion Reason:

N/A per CPCC-PRO-NS-53097 Table 1

• 324 Facility:

Excluded from USQ

Exclusion Reason:

N/A per CPCC-PRO-NS-53097 Table 1

• Canister Storage Building/Interim Storage Area:

Excluded from USQ

Exclusion Reason:

N/A per CPCC-PRO-NS-53097 Table 1

• Central Plateau Surveillance and Maintenance :

Excluded from USQ

Exclusion Reason:

N/A per CPCC-PRO-NS-53097 Table 1

• PFP Ancillary Structures :

Excluded from USQ

Exclusion Reason:

N/A per CPCC-PRO-NS-53097 Table 1

• Plutonium Finishing Plant :

Excluded from USQ

Exclusion Reason:

N/A per CPCC-PRO-NS-53097 Table 1

• Solid Waste Operations Complex :

Excluded from USO

Exclusion Reason:

N/A per CPCC-PRO-NS-53097 Table 1

• Transportation :

Excluded from USQ

Exclusion Reason:

N/A per CPCC-PRO-NS-53097 Table 1

• Waste Encapsulation Storage Facility:

Excluded from USQ

Exclusion Reason:

N/A per CPCC-PRO-NS-53097 Table 1

JHA: Administrative

Periodic Review Due Date:04/14/2027

Rev. 1, Chg. 0

Change Summary

Description of Change

Condensed Action Steps to include only those performed by ergonomic assessors in the OS&IH

Ergonomics PRC-PRO-SH-40463

Published Date: 04/14/2022 PRC-PRO-SH-40463 Effective Date: 04/18/2022

organization. Shifted focus from coordinating procurement of office ergonomic equipment to performing assessments and making recommendations. Simplified and standardized the office ergonomic evaluation and control process, and cleaned up the field ergonomic evaluation and control process. Provided direction to standardize the reporting process in SWIHD.

Published Date: 04/14/22 PRC-PRO-SH-40463 Effective Date: 04/18/22

TABLE OF CONTENTS

| 1.0 | INTRO | DDUCTION | 2 | | |
|-------|---------|--|---|--|--|
| | 1.1 | Purpose | 2 | | |
| | 1.2 | Scope | 2 | | |
| | 1.3 | Applicability | | | |
| | 1.4 | Implementation | | | |
| 2.0 | RESP | ONSIBILITIES | | | |
| 3.0 | PROCESS | | | | |
| | 3.1 | Office Ergonomic Evaluation and Control | 3 | | |
| | 3.2 | Office Ergonomic Self-Assessment | | | |
| | 3.3 | Field Ergonomic Evaluation and Control | | | |
| | 3.4 | Post Evaluation Follow-on Actions (Optional) | 8 | | |
| 4.0 | | S | 9 | | |
| 5.0 | | RD IDENTIFICATION | | | |
| 6.0 | SOURCES | | | | |
| | 6.1 | Requirements | 9 | | |
| | 6.2 | References | | | |
| | 6.3 | Bases | 9 | | |
| | | | | | |
| | | List of Appendixes | | | |
| Appen | dix A - | Field Ergonomic Risks and Assessment Tools1 | 0 | | |

Published Date: 04/14/22 PRC-PRO-SH-40463 Effective Date: 04/18/22

1.0 INTRODUCTION

1.1 Purpose

This procedure provides a process for conducting and documenting ergonomic hazard evaluation and mitigation to support Central Plateau Cleanup Company (CPCCo)-directed work activities. This procedure provides direction to identify, evaluate, and control workplace conditions that present potential ergonomic hazards, in efforts to prevent musculoskeletal disorders (MSD). Some common MSDs are:

- Carpal tunnel syndrome
- Tendinitis
- Rotator cuff injuries
- Epicondylitis
- Trigger finger
- Muscle strains and low back injuries

The American Conference of Governmental Industrial Hygienists (ACGIH) recognizes work-related MSDs as "an important occupational health problem that can be managed using an ergonomics health and safety program." The ACGIH provides guidance on assessing and controlling work activities associated with hand activity level, lifting, hand-arm vibration, and whole-body vibration.

1.2 Scope

This procedure addresses MSDs associated with occupational factors, both in the office and in the field. The MSDs associated with non-occupational factors are outside the scope of this procedure.

1.3 Applicability

This procedure applies to CPCCo-directed office and field work activities.

1.4 Implementation

This procedure is effective upon publication.

2.0 RESPONSIBILITIES

The Industrial Hygienist (IH) and/or the Ergonomics Technical Authority (TA) are responsible for performance of this procedure.

Published Date: 04/14/22 PRC-PRO-SH-40463 Effective Date: 04/18/22

3.0 PROCESS

Ergonomic assessments are one of the hazard evaluations that are addressed in the Industrial Hygiene Exposure Assessment (IHEA) process. In accordance with CPCC-PRO-SH-17916, *Industrial Hygiene Exposure Assessment,* the industrial hygienist performs two types of ergonomic evaluations: office and field. However, office ergonomics are outside the scope of the IHEA process.

This assessment process takes into consideration the:

- Requirements laid out in 10 CFR 851, Worker Safety and Health
- Guidelines set forth in the ACGIH Threshold Limit Values (TLV) and Biological Exposure Indices (BEI)
- Recommendations provided by the Centers for Disease Control-National Institute for Occupational Safety and Health (CDC-NIOSH)

3.1 Office Ergonomic Evaluation and Control

CPCCo provides mitigations to prevent MSD, as identified by workers and/or Industrial Hygiene (IH). The need for special equipment used for ergonomic hazard mitigation is typically identified during an office ergonomic evaluation performed by IH. Equipment is then provided by Facilities and Property Management (F&PM) and/or the worker's management. Commonly used office ergonomic equipment and accessories used to mitigate hazards include, but are not limited to the following:

- Foot rests
- Foot stools
- Standing mats
- Chair mats (for ease of rolling)
- Wrist rests (keyboard and/or mouse)
- Keyboard trays
- Document holders
- Task lights
- Monitor stands
- Variable-height sit/stand desks
- Adjustable office chairs and chair fit sessions
- Mice and input devices
- Keyboards
- Telephone headsets
- Computer monitors
- Workstation furniture

Alternately, managers may elect to procure ergonomic chairs, furnishings, and equipment from their budget without requiring an office ergonomic evaluation by IH.

Published Date: 04/14/22 PRC-PRO-SH-40463 Effective Date: 04/18/22

3.2 Office Ergonomic Self-Assessment

The self-assessment process provides the worker an opportunity to self-identify areas of discomfort in the office environment. It is a useful assessment tool, even when the worker is not experiencing discomfort.

| Actionee | Step | Action |
|----------|------|--|
| IH/TA | | IF office worker is experiencing discomfort or symptoms of soft tissue injury in the office workstation, THEN HAVE office worker complete Office Ergonomic Self-Assessment (Site Form A-6006-145), AND FORWARD to the project IH or IH technical authority (TA). |
| | 2. | REVIEW the completed <i>Office Ergonomic Self-Assessment</i> AND DETERMINE if the worker needs an office ergonomic evaluation. |
| | 3. | As needed, RECOMMEND equipment and accessories identified during the self-assessment. |
| | 4. | SCHEDULE office ergonomic evaluation if needed. |
| | 5. | GENERATE new SWIHD survey for each assessment, using information from the <i>Office Ergonomic Self-Evaluation</i> , and communication with worker, as needed. |
| | 6. | IF office ergonomic evaluation is not needed, THEN ATTACH employee's Office Ergonomic Self-Assessment to SWIHD survey AND DOCUMENT actions taken or recommended. |
| | 7. | CHANGE SWIHD survey to "Ready" status for review/concurrence by assigned IH. |

3.2.1 Office Ergonomic Assessment

Employees whose work scopes require them to spend most of their time in an office environment are at increased risk of office ergonomic hazards compared to those who spend less time in static, or nearly static, postures. Changing posture is key to preventing MSD.

| Actionee | Step | Action |
|----------|------|--|
| IH/TA | 1. | IF office ergonomic evaluation is needed, THEN COMPLETE the <i>Office Ergonomic Evaluation</i> (Site Form A-6006-185) with the office worker's assistance. |
| | 2. | IDENTIFY items that are adjusted and/or are needed to mitigate office ergonomic hazards. |
| | 3. | ADD information from the <i>Office Ergonomic Self-Assessment</i> and the <i>Office Ergonomic Evaluation</i> forms to the SWIHD survey. |

Ergonomics

Published Date: 04/14/22 PRC-PRO-SH-40463 Effective Date: 04/18/22

| Actionee | Step | Action |
|----------|------|---|
| IH/TA | 4. | SEND letter to worker and worker's manager/supervisor summarizing the following, as applicable: |
| | | Date of completed Office Ergonomic Self-Assessment |
| | | Date of completed workstation evaluation/assessment |
| | | SWIHD survey number |
| | | Performed/recommended adjustments to workstation |
| | | Equipment identified during evaluation/assessment to be obtained for worker |
| | | Responsibility of employee's manager to procure recommended equipment |
| | | Follow-on actions to be taken by worker and/or IH/TA |
| | 5. | ATTACH pdf of letter and other related documentation (<i>Office Ergonomic Self-Assessment, Office Ergonomic Evaluation</i> , photographs, etc.) to the SWIHD survey. |
| | | |

NOTE: Chair quotes are emailed from manufacturer's representative to Procurement & Supply Chain P-Card holder and/or IH/TA.

- IF employee is fitted with an ergonomic chair, <u>THEN</u> FORWARD chair quote to employee and employee's manager.
- 7. As needed, FOLLOW UP with individuals identified as needing further evaluation or adjustment.
- 8. WHEN the modification recommendations fail to reduce the employee's discomfort,

 THEN REFER worker to Site Occupational Medical Contractor (SOMC) for additional evaluation and recommendations in accordance with CPCC-PRO-SH-077, Reporting, Investigating and Managing Health, Safety and Property/Vehicle Events.
- 9. CHANGE SWIHD survey to "Ready" status for review/concurrence by assigned IH.

Ergonomics

Published Date: 04/14/22 PRC-PRO-SH-40463 Effective Date: 04/18/22

3.3 Field Ergonomic Evaluation and Control

| Actionee | Step | Action |
|----------|------|---|
| IH/TA | 1. | IF worker reports a work-related discomfort, illness, or injury, THEN EVALUATE work areas and activities to identify potential ergonomic hazards including, but not limited to, repetition, awkward posture, force, vibration, and contact stress |
| | 2. | RESPOND to employee's report of injury in accordance with CPCC-PRO-SH-077. |
| | 3. | EVALUATE work activities using appropriate assessment tool(s) (per the list of tools in Appendix B). |
| | 4. | INTERVIEW the employee(s) performing the task for feedback regarding task ergonomic stress. |
| | 5. | EVALUATE <u>AND</u> DOCUMENT work postures that could present an increased risk of MSD such as: |
| | | Neck flexion or extension (e.g., forward/backward bending) of the greater than 20 degrees |
| | | Forward/backward bending of the torso greater than 20 degrees |
| | | Twisting of the torso |
| | | Arm abduction (e.g., lifting arm away from the torso midline) |
| | | Arm adduction (e.g., crossing arm over torso midline |
| | | Bending/flexing the forearm greater than 90 degrees |
| | | Raising the elbow above the shoulder |
| | | Raising the forearms above the shoulder |
| | | Reaching, with forward extension of the torso |
| | | Wrist flexion or extension |
| | | • Lateral wrist deviation (e.g., from the midline of the arm) |
| | | Pinch grip |
| | | Deep bending of the knee, or kneeling (constrained lower body posture) |
| | | Uneven footing |
| | | Movements that combine one or more of the above awkward postures |

Ergonomics

Published Date: 04/14/22 PRC-PRO-SH-40463 Effective Date: 04/18/22

| | U 1,7 1 1,7 2 | |
|----------|----------------------|--|
| Actionee | Ston | Action |
| IH/TA | Step | DOCUMENT task-related factors such as: |
| , | | Repetition |
| | | Awkward posture |
| | | Work area temperature |
| | | Weight of the load |
| | | Stability of the load Stability of the load |
| | | Stability of objects within containersMechanical advantages (e.g., carts, dollies, hoists) |
| | | Size and shape of a load (e.g., grasping points) |
| | | Personal Protective Equipment/Respiratory Protection Equipment |
| | | Time allotted for the task |
| | | Vibration |
| | | Contact stress |
| | 6. | START new SWIHD survey. |
| | 7. | RECORD the ergonomic assessment in SWIHD under the <i>Ergo</i> "Field" tab. |
| | | SELECT applicable Ergonomic Evaluation Tools to be used in evaluation. |
| | | SUMMARIZE results of ergonomic evaluation. |
| | | ATTACH evaluation documentation (e.g., photographs, notes, manufacturer documentation). |
| | 8. | ENGAGE users and management, to identify controls following the hierarchy of controls with the goal of reducing the risk of MSD. |
| | 9. | COMMUNICATE the results of the ergonomic assessment to management, the project OS&IH manager, or the Ergonomics TA. |
| | 10. | MAKE recommendations to management for long-range goals such as equipment and process changes that may require budget and planning considerations. |
| | 11. | ASSESS the effectiveness of implemented ergonomic hazard controls |
| | | AND MAKE modification recommendations to controls as needed for continuous improvement. |
| | 12. | WHEN the modification recommendations fail to reduce the employee's discomfort, |
| | | THEN REFER the employee to the SOMC for evaluation and recommendations. |
| | 13. | CHANGE SWIHD survey to "Ready" status for review/concurrence |

by assigned IH.

Published Date: 04/14/22 PRC-PRO-SH-40463 Effective Date: 04/18/22

3.4 Post Evaluation Follow-on Actions (Optional)

| Actionee | Step | Action |
|----------|------|--|
| TA | 1. | REQUEST periodic ergonomic-related injury reports and statistics from Case Management/Worker Compensation to identify occupational groups at risk for repetitive motion and MSD. |
| | 2. | ANALYZE <u>AND</u> COMMUNICATE results of injury statistics to OS&IH managers regarding field ergonomic assessment activities. |
| | 3. | As needed, COMMUNICATE with SOMC when risk factors on Employee Job Task Analysis (EJTA) change. |
| | 4. | As needed, REQUEST the SOMC perform an ergonomic evaluation of a field activity AND IMPLEMENT their recommendations. |
| | 5. | Periodically REVIEW ergonomic injury information and trends for the projects. |

Page 9 of 10

Ergonomics

Published Date: 04/14/22 PRC-PRO-SH-40463 Effective Date: 04/18/22

4.0 FORMS

A-6006-145, Office Ergonomic Self-Assessment

A-6006-185, Office Ergonomic Evaluation

5.0 RECORD IDENTIFICATION

None

6.0 SOURCES

6.1 Requirements

10 CFR 851, Worker Safety and Health Program

29 CFR 1910, Occupational Safety and Health Standards

American Conference of Governmental Industrial Hygienists (ACGIH®) *Threshold Limit Values* for Chemical Substances and Physical Agents & Biological Exposure Indices, 2016, ACGIH Worldwide Signature Publications, Cincinnati, OH

6.2 References

CPCC-PRO-SH-077, Reporting, Investigating and Managing Health, Safety and Property/Vehicle Events

CPCC-PRO-SH-409, Industrial Hygiene Monitoring, Reporting and Records Management

CPCC-PRO-SH-17916, Industrial Hygiene Exposure Assessments

6.3 Bases

American Industrial Hygiene Association Ergonomic Committee Ergonomic Assessment Toolkit, 2011, American Industrial Hygiene Association (AIHA) Press, Fairfax, VA

CPCC-PRO-WKM-079, Job Hazard Analysis

Published Date: 04/14/22 PRC-PRO-SH-40463 Effective Date: 04/18/22

Appendix A - Field Ergonomic Risks and Assessment Tools

The major field ergonomic risk factors are high task repetition, forceful exertions, and repetitive/sustained awkward postures. Other risk factors include, but are not limited to:

- Duration of exposure (i.e., number of hours, or percent of the work day)
- Duration of sustained exposure (e.g., percent of the duty cycle)
- Amount of force required to perform the task
- Number of impacts experienced during the task
- Amount of weight lifted during the task
- Number of repetitions performed
- Type of grip or hand coupling
- Range of postures during movement
- Constrained posture (e.g., whether the work is performed kneeling or sitting)
- Distance an object is lifted or carried
- Reach distance of the worker
- Size and shape of a load
- Vibration and noise
- Contact stresses
- · Time allotted for the task
- · Lighting, temperature and humidity of the environment
- Surface on which the worker works (e.g., uneven or slippery)

The following tools are available to assist in ergonomic exposure assessment:

Qualitative Screening Tools--Whole Body

WISHA Caution Zone Checklist WISHA Hazard Zone Checklist OSHA Screening Tool (Table W-1)

OSHA Video Display Terminal Checklist

Semi-Quantitative—Whole Body

Quick Exposure Checklist (QEC)

Rodger's Muscle Fatigue Assessment

Rapid Entire Body Assessment (REBA)

WISHA Ergonomic Hazard Evaluation Checklist

Semi-Quantitative—Upper Limb

Rapid Upper Body Assessment (RULA)

Quantitative—Whole Body

ACGIH TLV for Whole Body Vibration

Quantitative—Upper Limb

ACGIH TLV for Hand Activity (For Mono-Tasks only)

ACGIH TLV for Hand-Arm Vibration

ACGIH TLV for Upper Limb Localized Fatigue

Quantitative—Lifting

ACGIH TLV for Lifting (For Mono-Lifting Tasks only)

WISHA Calculator for Analyzing Lifting Operations

NIOSH Revised Lifting Equation (Recommended Weight Limit or RWL)

NIOSH Lifting Index